

IP-Cameras - GeViScope & re_porter

Version: 7.3

Build: 940.80

Last time saved Date: 15.11.2013 Time: 09:53:40

Last time saved by: Thomas Oetzel

Frame rates shown here, are framerate which have been achieved with the picture size shown in the next column. The frame rate may not match with vendor specifications. ("up to"-specifications)

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP-Camera failover via GeViSoft
Acti	ACM-10xx	Bullet	VGA/D1						NO	X		790.74		NO
Acti	ACM-12xx	Bullet	Megapixel						NO	X		790.74		NO
Acti	ACM-14xx	Bullet	VGA/D1						NO	X		790.74		NO
Acti	ACM-15xx	Bullet	Megapixel						NO	X		790.74		NO
Acti	ACM-30xx	Fix Dome	VGA/D1						NO	X		790.74		NO
Acti	ACM-35xx	Fix Dome	Megapixel						NO	X		790.74		NO
Acti	ACM-40xx	Cube	VGA/D1						NO	X		790.74		NO
Acti	ACM-42xx	Cube	Megapixel						NO	X		790.74		NO
Acti	ACM-50xx	Box	VGA/D1						NO	X		790.74		NO
Acti	ACM-56xx	Box	Megapixel						NO	X		790.74		NO
Acti	ACM-74xx	Fix Dome	Megapixel						NO	X		790.74		NO
Acti	TMC-10xx	Bullet	VGA/D1						NO	X		790.74		NO
Acti	TMC-12xx	Bullet	Megapixel						NO	X		790.74		NO
Acti	TMC-14xx	Bullet	VGA/D1						NO	X		790.74		NO
Acti	TMC-15xx	Bullet	Megapixel						NO	X		790.74		NO
Acti	TMC-16xx	Bullet	Megapixel						NO	X		790.74		NO
Acti	TMC-21xx	Bullet	Megapixel						NO	X		790.74		NO
Acti	TMC-30xx	Fix Dome	VGA/D1						NO	X		790.74		NO
Acti	TMC-34xx	Fix Dome	Megapixel						NO	X		790.74		NO
Acti	TMC-35xx	Fix Dome	Megapixel						NO	X		790.74		NO
Acti	TMC-39xx	Fix Dome	Megapixel						NO	X		790.74		NO
Acti	TMC-40xx	Cube	VGA/D1						NO	X		790.74		NO
Acti	TMC-43xx	Cube	Megapixel						NO	X		790.74		NO
Acti	TMC-50xx	Box	VGA/D1						NO	X		790.74		NO
Acti	TMC-52xx	Box	Megapixel						NO	X		790.74		NO
Acti	TMC-53xx	Box	Megapixel						NO	X		790.74		NO
Acti	TMC-56xx	Box	Megapixel						NO	X		790.74		NO
Acti	TMC-58xx	Box	VGA/D1						NO	X		790.74		NO
Acti	TMC-74xx	Fix Dome	Megapixel						NO	X		790.74		NO
Acti	TMC-75xx	Fix Dome	VGA/D1						NO	X		790.74		NO
Acti	TMC-78xx	Fix Dome	Megapixel						NO	X		790.74		NO
Acti	KCM-3311	Fix Dome	2032 x 1920						NO	ONVIF		910.110	910.110	Yes
Acti	KCM-3911	Fisheye	2032 x 1920						NO	ONVIF		910.110	910.110	Yes
Acti	KCM-5211	Box with Zoom	2032 x 1920						NO	ONVIF		910.110	910.110	Yes

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Acti	KCM-5211E	Box with Zoom	2032 x 1920						NO	ONVIF		910.110	910.110	Yes
Acti	KCM-5511	Box with Zoom	1920 x 1080						NO	ONVIF		910.110	910.110	Yes
Acti	KCM-5611	Box with Zoom	1920 x 1080						NO	ONVIF		910.110	910.110	Yes
Acti	KCM-7111	Fix Dome	2032 x 1920						NO	ONVIF		910.110	910.110	Yes
Acti	KCM-7311	Fix Dome	2032 x 1920						NO	ONVIF		910.110	910.110	Yes
Acti	KCM-7911	Fisheye	2032 x 1920						NO	ONVIF		910.110	910.110	Yes

Arecont Vision	AV1115	Boxcompact	1280 x 1024	42 pictures/s				X	NO	X		881.360	881.360	No
Arecont Vision	AV1125	Bullet	1280 x 1024	42 pictures/s	X	X		X	NO	X		881.360	881.360	No
Arecont Vision	AV1255	Fix Dome	1280 x 1024	42 pictures/s				X	NO	X		910.110	910.110	No
Arecont Vision	AV1300	Box	1280 x 1024	24 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV1305	Box	1280 x 1024	24 pictures/s	X	X		X	NO	X		790.5	880.204	No
Arecont Vision	AV1310	Boxcompact	1280 x 1024	24 pictures/s	X	X		X	NO	X		790.74		No
Arecont Vision	AV1315	Boxcompact	1280 x 1024	24 pictures/s	X	X		X	NO	X		880.204	880.204	No
Arecont Vision	AV1325	Bullet	1280 x 1024	24 pictures/s	X	X		X	NO	X		880.204	880.204	No
Arecont Vision	AV1355	Fix Dome	1280 x 1024	24 pictures/s				X	NO	X		790.5	880.204	No
Arecont Vision	AV2100	Box	1600 x 1200	17 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV2105	Box	1600 x 1200	17 pictures/s	X	X		X	NO	X		790.5	880.204	No
Arecont Vision	AV2110	Boxcompact	1600 x 1200	17 pictures/s	X	X		X	NO	X		790.74		No
Arecont Vision	AV2115	Boxcompact	1920 x 1080	32 pictures/s				X	NO	X		881.360	881.360	No
Arecont Vision	AV2116	Boxcompact	1920 x 1080	32 pictures/s				X	NO	X		910.xx	910.xx	No
Arecont Vision	AV2125	Bullet	1920 x 1080	32 pictures/s	X	X		X	NO	X		881.360	881.360	No
Arecont Vision	AV2155	Fix Dome	1600 x 1200	17 pictures/s				X	NO	X		790.5	880.204	No
Arecont Vision	AV2255	Fix Dome	1920 x 1080	32 pictures/s				X	NO	X		910.110	910.110	No
Arecont Vision	AV2805	Box	1920 x 1080	24 pictures/s	X	X		X	NO	X		880.204	880.204	No
Arecont Vision	AV2815	Boxcompact	1920 x 1080	24 pictures/s	X	X		X	NO	X		880.204	880.204	No
Arecont Vision	AV2825	Bullet	1920 x 1080	24 pictures/s	X	X		X	NO	X		880.204	880.204	No
Arecont Vision	AV3100	Box	2048 x 1536	10 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV3105	Box	2048 x 1536	10 pictures/s	X	X		X	NO	X		790.5	880.204	No
Arecont Vision	AV3110	Boxcompact	2048 x 1536	15 pictures/s	X	X		X	NO	X		790.74		No
Arecont Vision	AV3115	Boxcompact	2048 x 1536	21 pictures/s				X	NO	X		881.360	881.360	No
Arecont Vision	AV3116	Boxcompact	2048 x 1536	32 pictures/s				X	NO	X		910.110	910.110	No
Arecont Vision	AV3125	Bullet	2048 x 1536	21 pictures/s				X	NO	X		881.360	881.360	No
Arecont Vision	AV3130 (Day Mode)	Box	2048 x 1536	10 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV3130 (Night Mode)	Box	1280 x 1024	24 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV3135 (Day Mode)	Box	2048 x 1536	10 pictures/s	X	X		X	NO	X		880.204	880.204	No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Arecont Vision	AV3135 (Night Mode)	Box	1280 x 1024	24 pictures/s	X	X		X	NO	X		880.204	880.204	No
Arecont Vision	AV3155	Fix Dome	2048 x 1536	15 pictures/s				X	NO	X		790.5	880.204	No
Arecont Vision	AV3255	Fix Dome	2048 x 1536	21 pictures/s				X	NO	X		910.110	910.110	No
Arecont Vision	AV5100	Box	2592 x 1944	7 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV5105	Box	2592 x 1944	7 pictures/s	X	X		X	NO	X		790.5	880.204	No
Arecont Vision	AV5110	Boxcompact	2592 x 1944	7 pictures/s	X	X		X	NO	X		790.74		No
Arecont Vision	AV5115	Boxcompact	2592 x 1944	14 pictures/s				X	NO	X		881.360	881.360	No
Arecont Vision	AV5125	Bullet	2592 x 1944	14 pictures/s				X	NO	X		881.360	881.360	No
Arecont Vision	AV5155	Fix Dome	2592 x 1944	9 pictures/s				X	NO	X		790.5	880.204	No
Arecont Vision	AV5255	Fix Dome	2592 x 1944	14 pictures/s				X	NO	X		910.110	910.110	No
Arecont Vision	AV8180	Panorama	1600 x 1200 (4x)	4 x 2 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV8185	Panorama	1600 x 1200 (4x)		X	X		X	NO	X		790.5	880.204	No
Arecont Vision	AV8360	Panorama	1600 x 1200 (4x)	4 x 2 pictures/s				X	NO	X		600.11		No
Arecont Vision	AV8365	Panorama	1600 x 1200 (4x)		X	X		X	NO	X		790.5	880.204	No
Arecont Vision	AV10005	Box	3648 x 2752	4 pictures/s	X	X		X	NO	X		790.99	880.204	No
Arecont Vision	AV10115	Boxcompact	3648 x 2752	7 pictures/s	X	X		X	NO	X		881.360	881.360	No
Arecont Vision	AV12186	Panorama	2048 x 1536 (4x)	4 x 5 pictures/s	X	X		X	NO	X		940.80	940.80	No
Arecont Vision	AV20185	Panorama	2560 x 1920 (4x)	4 x 3 pictures/s	X	X		X	NO	X		881.360	881.360	No
Arecont Vision	AV20365	Panorama	2560 x 1920 (4x)	4 x 3 pictures/s	X	X		X	NO	X		881.360	881.360	No
Arecont Vision	AV40185	Panorama	3648 x 2752 (4x)	4 x 1.5 pictures/s	X	X		X	NO	X		940.xx	940.xx	No
Arecont Vision	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ. ArecontVision does only support H.264 via RTSP. No JPEG.				-	-	-	-	X	RTSP-IPC	-	881.360	881.360	No

Axis	206	Cube	640 x 480		X	X		X	NO			600.25		No
Axis	206M	Cube	1280 x 1024		X	X		X	NO			600.25		No
Axis	207	Cube	640 x 480		X	X		X	NO			600.25		No
Axis	207MW	Cube	1280 x 1024		X	X		X	NO			600.25		No
Axis	207W	Cube	640 x 480		X	X		X	NO			600.25		No
Axis	209FD	Fix Dome	640 x 480		X	X		X	NO			600.25		No
Axis	209MFD	Fix Dome	1280 x 1024		X	X		X	NO			600.25		No
Axis	210	Box	640 x 480		X	X		X	NO			600.25		No
Axis	210A	Box	640 x 480		X	X		X	NO			600.25		No
Axis	211	Box	640 x 480		X	X		X	NO			600.25		No
Axis	211A	Box	640 x 480		X	X		X	NO			600.25		No
Axis	211M	Box	1280 x 1024		X	X		X	NO			600.25		No
Axis	211W	Box	640 x 480		X	X		X	NO			600.25		No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP-Camera failover via GeViSoft
Axis	212	PTZ	704 x 576		X	X	X	X	NO			600.25		No
Axis	213	PTZ	704 x 576		X	X	X	X	NO			600.25		No
Axis	214	PTZ	704 x 576		X	X	X	X	NO			600.25		No
Axis	215	PTZ	704 x 576		X	X	X	X	NO			600.25		No
Axis	216FD	Fix Dome	640 x 480		X	X		X	NO			600.25		No
Axis	216MFD	Fix Dome	1280 x 1024		X	X		X	NO			600.25		No
Axis	221	Box	640 x 480		X	X		X	NO			600.25		No
Axis	223M	Box	1600 x 1200		X	X		X	NO			600.25		No
Axis	225FD	Fix Dome	640 x 480		X	X		X	NO			600.25		No
Axis	231D	Speed dome	704 x 576		X	X	X	X	NO			600.25		No
Axis	232D	Speed dome	704 x 576		X	X	X	X	NO			600.25		No
Axis	233D	Speed dome	704 x 576		X	X	X	X	NO			600.25		No
Axis	240Q	Video Encoder	704 x 576		X	X	X	X	NO			600.25		No
Axis	241Q	Video Encoder	704 x 576		X	X	X	X	NO			600.25		No
Axis	241S	Video Encoder	704 x 576		X	X	X	X	NO			600.25		No
Axis	M1011	Box	640 x 480	30 pictures/s	X	X		X	880.204	X		790.99	880.204	Yes
Axis	M1011-W	Box	640 x 480	30 pictures/s	X	X		X	880.204	X		790.99	880.204	Yes
Axis	M1013	Box	800 x 600	30 pictures/s	X	X		X	880.204	X		790.99	880.204	Yes
Axis	M1014	Box	1280 x 800	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M1031-W	Box	640 x 480	30 pictures/s	X	X		X	880.204	X		790.99	880.204	Yes
Axis	M1033-W	Box	800 x 600	30 pictures/s	X	X		X	880.204	X		790.99	880.204	Yes
Axis	M1034-W	Box	1280 x 800	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M1054	Box	1280 x 800	30 pictures/s	X	X		X	880.204	X	880.261	880.204	880.204	Yes
Axis	M1103	Box	800 x 600	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M1104	Box	1280 x 800	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M1113	Box	800 x 600	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M1114	Box	1280 x 800	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M1143-L	Box	800 x 600	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M1144-L	Box	1280 x 800	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M3004	Fix Dome	1280 x 800	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	M3005	Fix Dome	1920 x 1080	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	M3006	Fix Dome	2048 x 1536	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	M3007	Hemispheric	2592 x 1944	12 pictures/s	X	X	X	X	880.204	X	880.261	790.99	880.204	Yes
Axis	M3011	Fix dome	640 x 480	30 pictures/s	X	X		X	880.204	X		790.99	880.204	Yes
Axis	M3014	Fix dome	1280 x 800	30 pictures/s	X	X		X	880.204	X		790.99	880.204	Yes
Axis	M3113	Fix dome	800 x 600	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M3114	Fix dome	1280 x 800	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M3203	Fix dome	800 x 600	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes
Axis	M3204	Fix dome	1280 x 800	30 pictures/s	X	X		X	880.204	X		880.204	880.204	Yes

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP-Camera failover via GeViSoft
Axis	M5013	PTZ	800 x 600	30 pictures/s	X	X		X	881.360	X	880.261	881.360	881.360	Yes
Axis	M5014	PTZ	1280 x 800	30 pictures/s	X	X		X	881.360	X	880.261	881.360	881.360	Yes
Axis	M7001	Video Encoder	704 x 576	30 pictures/s	X	X	X	X	880.204	X		880.204	880.204	Yes
Axis	M7010	Video Encoder	704 x 576	30 pictures/s	X	X	X	X	881.360	X		881.360	881.360	Yes
Axis	M7014	Video Encoder	704 x 576	30 pictures/s	X	X	X	X	881.360	X		881.360	881.360	Yes
Axis	P1204	Diskret	1280 x 720	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P1214	Diskret	1280 x 720	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P1311	Box	640 x 480	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P1343	Box	800 x 600	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P1344	Box	1280 x 800	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P1346	Box	2048 x 1536	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P1347	Box	2560 x 1920	30 pictures/s	X	X		X	880.204	X	880.261	880.204	880.204	Yes
Axis	P1353	Box	800 x 600	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P1354	Box	1280 x 960	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P3301	Fix dome	640 x 480	30 pictures/s	X	X		X	880.204	X	880.261	790.48	880.204	Yes
Axis	P3304	Fix dome	1280 x 800	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	P3343	Fix dome	800 x 600	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	P3344	Fix dome	1280 x 800	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	P3346	Fix dome	2048 x 1536	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	P3353	Fix dome	800 x 600	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	P3354	Fix dome	1280 x 960	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	P3363	Fix dome	800 x 600	30 pictures/s	X	X		X	880.204	X	880.261	880.204	880.204	Yes
Axis	P3364	Fix dome	1280 x 960	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	P3367	Fix dome	2592 x 1944	30 pictures/s	X	X		X	880.204	X	880.261	880.204	880.204	Yes
Axis	P3384	Fix dome	1280 x 960	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	P5512	Speed dome	704 x 480/576	30 pictures/s	X	X	X	X	881.360	X	881.360	881.360	881.360	Yes
Axis	P5522	Speed dome	720 x 480/576	30 pictures/s	X	X	X	X	881.360	X	881.360	881.360	881.360	Yes
Axis	P5532	Speed dome	720 x 576	30 pictures/s	X	X	X	X	880.204	X	880.261	790.74	880.204	Yes
Axis	P5534	Speed dome	1280 x 720	30 pictures/s	X	X	X	X	880.204	X	880.261	790.74	880.204	Yes
Axis	P5544	Speed dome	1280 x 720	30 pictures/s	X	X	X	X	880.204	X	880.261	790.74	880.204	Yes
Axis	P7214	Video Encoder	704 x 576	30 pictures/s	X	X	X	X	881.360	X		881.360	881.360	Yes
Axis	P7224	Video Encoder	704 x 576	30 pictures/s	X	X	X	X	881.360	X		881.360	881.360	Yes
Axis	P8513	Diskret	800 x 600	30 pictures/s	X	X		X	880.204	X	880.261	880.204	880.204	Yes
Axis	P8514	Diskret	1280 x 800	30 pictures/s	X	X		X	880.204	X	880.261	790.74	880.204	Yes
Axis	Q1602	Box	768 x 576	30 pictures/s	X	X		X	881.360	X	881.360	881.360	881.360	Yes
Axis	Q1604	Box	1280 x 960	30 pictures/s	X	X		X	881.360	X	881.360	881.360	881.360	Yes
Axis	Q1755	Box	1920 x 1080	30 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	Q1910	Thermal	160 x 120	8 pictures/s	X	X		X	880.204	X	880.261	790.99	880.204	Yes
Axis	Q1921	Thermal	384 x 288	30 pictures/s	X	X		X	880.204	X	880.261	880.204	880.204	Yes

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP-Camera failover via GeViSoft
Axis	Q1922	Thermal	640 x 480	30 pictures/s	X	X		X	880.204	X	880.261	880.204	880.204	Yes
Axis	Q6032	Speed dome	720 x 576	30 pictures/s	X	X	X	X	880.204	X	880.261	790.74	880.204	Yes
Axis	Q6034	Speed dome	1280 x 720	30 pictures/s	X	X	X	X	880.204	X	880.261	790.74	880.204	Yes
Axis	Q6035	Speed dome	1920 x 1080	30 pictures/s	X	X	X	X	881.360	X	881.360	881.360	881.360	Yes
Axis	Q7401	Video Encoder	704 x 576		X	X	X	X	880.204	X	880.261	880.204	880.204	Yes
Axis	Q7404	Video Encoder	704 x 576		X	X	X	X	880.204	X	880.261	880.204	880.204	Yes
Axis	Q7406	Video Encoder	704 x 576		X	X	X	X	880.204	X	930.43	880.204	880.204	Yes
Axis	Q7414	Video Encoder	704 x 576		X	X	X	X	881.360	X	930.44	881.360	881.360	Yes
Axis	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ. Jpeg and H.264 is supported. Also G.711 Audio. No other Audio formats!				-	-	-	-	X	RTSP-IPC	X	881.360	881.360	No
Basler	BIP-640c	Box	640 x 480		X	X		X	880.204	X		880.204		No
Basler	BIP-1000c	Box	1024 x 768		X	X		X	880.204	X		880.204		No
Basler	BIP-D1000c	Fix dome	1024 x 768		X	X		X	880.204	X		880.204		No
Basler	BIP-1300c	Box	1280 x 960		X	X		X	880.204	X		880.204		No
Basler	BIP-D1300c	Fix dome	1280 x 960		X	X		X	880.204	X		880.204		No
Basler	BIP-1600c	Box	1600 x 1200		X	X		X	880.204	X		880.204		No
Basler	BIP2-640c	Box	640 x 480		X	X		X	880.204	X		880.204	880.282	No
Basler	BIP2-1000c	Box	1024 x 768		X	X		X	880.204	X		880.204	880.282	No
Basler	BIP2-D1000c	Fix Dome	1024 x 768		X	X		X	880.204	X		880.204	880.282	No
Basler	BIP2-1280c	Box	1280 x 720		X	X		X	880.282	X		880.282	880.282	No
Basler	BIP2-1300c	Box	1280 x 960		X	X		X	880.204	X		880.204	880.282	No
Basler	BIP2-D1300c	Fix Dome	1280 x 960		X	X		X	880.204	X		880.204	880.282	No
Basler	BIP2-1600c	Box	1600 x 1200		X	X		X	880.282	X		880.282	880.282	No
Basler	BIP2-1920c	Box	1920 x 1080		X	X		X	880.282	X		880.282	880.282	No
Basler	BIP2-D1920c	Box	1920 x 1080		X	X		X	880.282	X		880.282	880.282	No
Basler	BIP2-2500c	Box	2560 x 1920		X	X		X	880.282	X		880.282	880.282	No
Basler	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ. Basler does only support H.264 via RTSP. No JPEG.				-	-	-	-	X	RTSP-IPC	-	881.360	881.360	No
Bosch	AutoDome ® Series 100 incl. VG4-MTRN-E	Speed dome	VGA/D1	30 pictures/s			X		NO	X		600.11		No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Bosch	AutoDome ® Series 200 incl. VG4-MTRN-E	Speed dome	VGA/D1	30 pictures/s			X		NO	X		600.11		No
Bosch	AutoDome ® Series 300 incl. VG4-MTRN-E	Speed dome	VGA/D1	30 pictures/s			X		NO	X		600.11		No
Bosch	AutoDome ® Series 500i incl. VG4-MTRN-E	Speed dome	VGA/D1	30 pictures/s			X		NO	X		600.11		No
Bosch	AutoDome ® Series 700	Speed dome	VGA/D1	30 pictures/s			X		YES	ONVIF		910.110	910.110	Yes
Bosch	AutoDome ® Series 800	Speed dome	1920 x 1080	30 pictures/s			X		YES	ONVIF		910.110	910.110	Yes
Bosch	AutoDome Junior HD	PTZ	1920 x 1080	30 pictures/s			X		YES	ONVIF		910.110	910.110	Yes
Bosch	AutoDome Easy II IP	Fix dome	VGA/D1	30 pictures/s			X		YES	ONVIF		910.110	910.110	Yes
Bosch	VIP X1	Video Encoder	VGA/D1	30 pictures/s			X		NO	X		880.204		No
Bosch	VIP X2	Video Encoder	VGA/D1	30 pictures/s			X		NO	X		880.204		No
Bosch	VideoJet X10	Video Encoder	VGA/D1	30 pictures/s			X		NO	X		880.204		No
Bosch	VideoJet X20	Video Encoder	VGA/D1	30 pictures/s			X		NO	X		880.204		No
Bosch	VideoJet X40	Video Encoder	VGA/D1	30 pictures/s			X		NO	X		880.204		No
Bosch	NBC-225	Box	640 x 480						YES	ONVIF		910.110	910.110	Yes
Bosch	NBC-255	Box	640 x 480						YES	ONVIF		910.110	910.110	Yes
Bosch	NBC-265	Box	1280 x 720						YES	ONVIF		910.110	910.110	Yes
Bosch	NBC-455	Box	VGA/D1						YES	ONVIF		910.110	910.110	Yes
Bosch	NBN-498	Box	VGA/D1						YES	ONVIF		910.110	910.110	Yes
Bosch	NBN-832	Box	1920 x 1080						YES	ONVIF		910.110	910.110	Yes
Bosch	NBN-921	Box	1280 x 720						YES	ONVIF		910.110	910.110	Yes
Bosch	NDC-225	Fix dome	640 x 480						YES	ONVIF		910.110	910.110	Yes
Bosch	NDC-255	Fix dome	640 x 480						YES	ONVIF		910.110	910.110	Yes
Bosch	NDC-265	Fix dome	1280 x 720						YES	ONVIF		910.110	910.110	Yes
Bosch	NDC-274	Fix dome	1920 x 1080						YES	ONVIF		910.110	910.110	Yes
Bosch	NDC-284	Fix dome	2592 x 1944						YES	ONVIF		910.110	910.110	Yes
Bosch	NDC-455	Fix dome	VGA/D1						YES	ONVIF		910.110	910.110	Yes
Bosch	NDN-498	Fix dome	VGA/D1						YES	ONVIF		910.110	910.110	Yes
Bosch	NDN-265	Fix dome	1280 x 720						YES	ONVIF		910.110	910.110	Yes
Bosch	NDN-832	Fix dome	1920 x 1080						YES	ONVIF		910.110	910.110	Yes
Bosch	NDN-921	Fix dome	1280 x 720						YES	ONVIF		910.110	910.110	Yes

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Bosch	NTC-255	Bullet	640 x 480						YES	ONVIF		910.110	910.110	Yes
Bosch	NTC-265	Bullet	1280 x 720						YES	ONVIF		910.110	910.110	Yes
Bosch	NWC-0455 Dinion	Box	VGA/D1		X				NO	X		600.11		No
Bosch	NWC-0495 DinionXF	Box	VGA/D1		X				NO	X		600.11		No
Bosch	NWD-455 FlexiDome	Box	VGA/D1		X				NO	X		600.11		No
Bosch	NWD-495 FlexiDomeDN	Box	VGA/D1		X				NO	X		600.11		No
Bosch	NWC-0700	Box	1600 x 1200					X	NO			Select AV2100		No
Bosch	NWC-0800	Box	2048 x 1536					X	NO			Select AV3100		No
Bosch	NWC-0900 (Day Mode)	Box	2048 x 1536					x	NO			Select AV3130		No
Bosch	NWC-0900 (Night Mode)	Box	1280 x 1024					x	NO			Select AV3130		No
Bosch	VOT-320	Thermal	320 x 240					x	YES	ONVIF		910.110	910.110	No
Bosch	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.						X		X	ONVIF		881.360	881.360	No
Brickcom	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.						X		X	ONVIF		881.360	881.360	Yes
Brickcom	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	X	881.360	881.360	No
Canon	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.						X			ONVIF		910.110	910.110	Yes

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Canon	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	910.110	910.110	No
CNB	IDP4000VD	Fix dome	640 x 480		X	X		X	NO	X		790.74	880.204	No
CNB	IDP4000VR	Fix dome	640 x 480		X	X		X	NO	X		790.74	880.204	No
CNB	IVP4000VR	Fix dome	640 x 480		X	X		X	NO	X		790.74	880.204	No
CNB	IVP4030VR	Fix dome	1280 x 960		X	X		X	NO	X		790.74	880.204 Only VGA Resolution	No
CNB	IGP1030	Box	1280 x 960		X	X		X	NO	X		790.74	880.204 Only VGA Resolution	No
CNB	IGP1000F	Box	640 x 480		X	X		X	NO	X		790.74	880.204	No
CNB	IPM3063N/P	Speed dome	D1		X	X	X	X	NO	X		790.74		No
CNB	ISS2695NXW/PXW	Speed dome	D1		X	X	X	X	NO	X		790.74		No
CNB	ISS2765PW	Speed dome	D1		X	X	X	X	NO	X		790.74		No
CNB	ISMC1063N/P	Speed dome	D1		X	X	X	X	NO	X		790.74		No
CNB	INS2000	Server	D1		X	X	X	X	NO	X		790.74		No
CNB	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.			IGC2050F			X		X	ONVIF		881.360	881.360	No
CNB	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	X	881.360	881.360	No
Dahua	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer. FW 2.103.0001.0.R			IPC-HF3300					X	ONVIF		910.110	910.110	Yes
Dahua	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	910.110	910.110	No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Dynacolor	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	X	881.360	881.360	No
EcoLine	EcoBC-1110	Box	1280 x 960		X	X	X	X	NO	X		790.99	880.204 Only VGA Resolution	No
EcoLine	EcoFD-2310	Fix dome	640 x 480		X	X	X	X	NO	X		790.99	880.204	No
EcoLine	EcoFD-2410	Fix dome	1280 x 960		X	X	X	X	NO	X		790.99	880.204 Only VGA Resolution	No
FLIR	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	Yes
G-Cam	EBC-2110	Box	1920 x 1080	30 pictures/s	X	X		X	X	E2	X		930.43	Yes
G-Cam	EFD-2130	Fix dome	1920 x 1080	30 pictures/s	X	X		X	X	E2	X		930.43	Yes
G-Cam	EFD-2240	Fix dome	1920 x 1080	30 pictures/s	X	X		X	X	E2	X		930.43	Yes
G-Cam	EFD-2250	Fix dome	1920 x 1080	30 pictures/s	X	X		X	X	E2	X		930.43	Yes
G-Cam	EWPC-2270	Bullet	1920 x 1080	30 pictures/s	X	X		X	X	E2	X		930.43	Yes
G-Cam	GSDN1680	Speed Dome	1920 x 1080	30 pictures/s	X	X	X	X	X	GSDN			930.43	Yes
G-Cam	GSDN1880	Speed Dome	1920 x 1080	30 pictures/s	X	X	X	X	X	GSDN			930.43	Yes
Grundig	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.			GCI-F0505B GCI-K2505B GCI-K0589T GCI-K1523V GCI-K1779P			X		X	ONVIF		930.53	930.53	Yes
Hikvision	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.			DS-2CD854F-E DS-2CD852MF			X		X	ONVIF		881.360	881.360	Yes

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP-Camera failover via GeViSoft
Hikvision	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP-IPC	X	881.360	881.360	No

HiTron	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.			HDB-M120 HDB-T320 HNV3H22D1NSH1			X		X	ONVIF		881.360	881.360	Yes
HiTron	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP-IPC	-	881.360	881.360	No

IQInvision	IQ302	Cube	1600 x 1200		X				NO	X		600.25		No
IQInvision	IQ303	Cube	2048 x 1536		X				NO			600.25		No
IQInvision	IQ501	Cube	1280 x 1024		X			X	NO			600.25		No
IQInvision	IQ510	Cube	720 x 480		X			X	NO			600.25		No
IQInvision	IQ511	Cube	1280 x 1024		X			X	NO			600.25		No
IQInvision	IQ540 SI-V9	Cube	640 x 480		X				NO			Select IQ711		No
IQInvision	IQ541 SI-V10	Cube	1280 x 1024		X				NO			Select IQ711		No
IQInvision	IQ542 SI-V11	Cube	1600 x 1200		X				NO			Select IQ702		No
IQInvision	IQ601	Box	1280 x 1024		X			x	NO			600.25		No
IQInvision	IQ602	Box	1600 x 1200		X			x	NO			600.25		No
IQInvision	IQ603	Box	2048 x 1536		X			x	NO			600.25		No
IQInvision	IQ711	Box	1280 x 1024		X			X	NO			Select IQ701		No
IQInvision	IQ702	Box	1600 x 1200		X			X	NO			600.25		No
IQInvision	IQ703	Box	2048 x 1536		X			X	NO			600.25		No
IQInvision	IQ705	Box	2560 x 1920		X			x	NO			Select IQ703		No
IQInvision	IQ751	Box	1280 x 1024		X			X	NO			600.25		No
IQInvision	IQ752	Box	1600 x 1200		X			X	NO			600.25		No
IQInvision	IQ753	Box	2048 x 1536		X			X	NO			600.25		No
IQInvision	IQ755	Box	2560 x 1920		X			x	NO			Select IQ703		No
IQInvision	IQ811	Bullet	1280 x 1024		X			X	NO			Select IQ701		No
IQInvision	IQ802	Bullet	1600 x 1200		X			X	NO			Select IQ702		No
IQInvision	IQ803	Bullet	2048 x 1536		X			X	NO			Select IQ703		No
IQInvision	IQ805	Bullet	2560 x 1920		X			x	NO			Select IQ703		No
IQInvision	IQ851	Bullet	1280 x 1024		X			X	NO			Select IQ701		No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
IQInvision	IQ852	Bullet	1600 x 1200		X			X	NO			Select IQ702		No
IQInvision	IQ853	Bullet	2048 x 1536		X			X	NO			Select IQ703		No
IQInvision	IQ855	Bullet	2560 x 1920		X			x	NO			Select IQ703		No
IQInvision	IQA10	Fix dome	640 x 512		X			X	NO			Select IQ701		No
IQInvision	IQA11	Fix dome	1280 x 1024		X			X	NO			Select IQ701		No
IQInvision	IQA12	Fix dome	1600 x 1200		X			X	NO			Select IQ702		No
IQInvision	IQA13	Fix dome	2048 x 1536		X			x	NO			Select IQ703		No
IQInvision	IQA15	Fix dome	2560 x 1920		X			x	NO			Select IQ703		No
IQInvision	IQA20	Fix dome	640 x 512		X			X	NO			Select IQ701		No
IQInvision	IQA21	Fix dome	1280 x 1024		X			X	NO			Select IQ701		No
IQInvision	IQA22	Fix dome	1600 x 1200		X			X	NO			Select IQ702		No
IQInvision	IQA23	Fix dome	2048 x 1536		X			x	NO			Select IQ703		No
IQInvision	IQA25	Fix dome	2560 x 1920		X			x	NO			Select IQ703		No
IQInvision	IQD40 SI	Fix dome	640 x 512		X			X	NO			Select IQ701		No
IQInvision	IQD41 SI	Fix dome	1280 x 1024		X			X	NO			Select IQ701		No
IQInvision	IQD42 SI	Fix dome	1600 x 1200		X			X	NO			Select IQ702		No
IQInvision	IQ040 SI-V9	Box	640 x 512		X			X	NO			Select IQ701		No
IQInvision	IQ041 SI-V10	Box	1280 x 1024		X			X	NO			Select IQ701		No
IQInvision	IQ042 SI-V11	Box	1600 x 1200		X			X	NO			Select IQ702		No
IQInvision	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No

JVC	VN-C20	Box	640 x 480	7 pictures/s					NO			600.25		No
JVC	VN-C215	Box	640 x 480	25 pictures/s					NO			600.25		No
JVC	VN-C625	Speed dome	640 x 480	25 pictures/s			X		NO			600.25		No
JVC	VN-C655	Speed dome	640 x 480	25 pictures/s			X		NO			600.25		No
JVC	VN-V685	Speed dome	640 x 480	25 pictures/s			X		NO			790.48		No
JVC	VN-V686	Speed dome	640 x 480	25 pictures/s			X		NO			790.48		No
JVC	VN-V25	Box	640 x 480	25 pictures/s					NO			790.48		No
JVC	VN-V26	Box	640 x 480	25 pictures/s					NO			790.48		No
JVC	VN-X35	Box	1280 x 960	15 pictures/s					NO			790.48		No
JVC	VN-V225	Fix dome	640 x 480	25 pictures/s					NO			790.48		No
JVC	VN-X235	Fix dome	1280 x 960	15 pictures/s					NO			790.48		No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
JVC	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer. ADVICE: Use UDP as Transportprotocol			VN-T216U VN-H157						ONVIF		910.110	910.110	Yes
JVC	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No

Mobotix	D12	Fix dome	1280 x 1024					X	NO			600.25		No
Mobotix	D22	Fix dome	2048 x 1536					X	NO			600.25		No
Mobotix	M1	Bullet	640 x 480					X	NO			600.25		No
Mobotix	M10	Bullet	1280 x 960					X	NO			600.25		No
Mobotix	M12	Bullet	1280 x 960					X	NO			600.25		No
Mobotix	M22	Bullet	1280 x 960					X	NO			600.25		No
Mobotix	Q24 - NO support of PTZ!	Hemispheric	2048 x 1536				NO	X	NO			Choose D22		No

ONVIF	GscServer is ONVIF-conformant to specification 2.2 Following functions are supported:			Resolution, quality and fps control, PTZF control, Audio, Transport from video/audio via: TCP, UDP and Multicast			X		X	ONVIF	X		881.360	Yes
-------	--	--	--	---	--	--	---	--	---	-------	---	--	---------	-----

Panasonic	WV-NF302	Box	1280 x 960					Y	NO	X		881.360		Yes
Panasonic	WV-NP240	Box	640 x 480					X	NO	X		790.1		No
Panasonic	WV-NP244	Box	640 x 480					X	NO	X		790.1		No
Panasonic	WV-NP304	Box	1280 x 960					X	NO	X		881.360		Yes
Panasonic	WV-NP502	Box	1280 x 960					X	Yes	X		881.360	881.407	Yes
Panasonic	WV-NP1000	Box	1280 x 960					X	NO	X		790.1		No
Panasonic	WV-NP1004	Box	1280 x 960					X	NO	X		790.1		No
Panasonic	WV-NS202	Speed dome	640 x 480				X	X	NO	X		790.1		No
Panasonic	WV-NS950	Speed dome	640 x 480				X	X	NO	X		790.1		No
Panasonic	WV-NS954	Speed dome	640 x 480				X	X	NO	X		790.1		No
Panasonic	WV-NS960	Speed dome	640 x 480				X	X	NO	X		790.1		No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Panasonic	WV-NS964	Speed dome	640 x 480				X	X	NO	X		790.1		No
Panasonic	WV-NW284	Fix dome	640 x 480					X	NO	X		790.1		No
Panasonic	WV-NW484	Fix dome	640 x 480					X	NO	X		790.1		No
Panasonic	WV-NW502	Fix dome	1280 x 960					X	Yes	X		881.360	881.407	Yes
Panasonic	WV-SC384	PTZ	1280 x 960		X	X	PTZ	X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SC385	PTZ	1280 x 960		X	X	PTZ	X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SC386	PTZ	1280 x 960		X	X	PTZ	X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SF332	Fix dome	800 x 600		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SF335	Fix dome	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SF336	Fix dome	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SF342	Fix dome	800 x 600		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SF346	Fix dome	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SF438	Hemispheric	2048 x 1536		X	X	PTZ	X	Yes	X		930.xx	930.xx	Yes
Panasonic	WV-SW458	Hemispheric	2048 x 1536		X	X	PTZ	X	Yes	X		930.xx	930.xx	Yes
Panasonic	WV-SW458M	Hemispheric	2048 x 1536		X	X	PTZ	X	Yes	X		930.xx	930.xx	Yes
Panasonic	WV-SP102	Box	640 x 480		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SP105	Box	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SP302	Box	800 x 600		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SP305	Box	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SP306	Box	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SP508	Box	1920 x 1080		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SP509	Box	1920 x 1080		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW152	Fix dome	800 x 600		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW155	Fix dome	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW352	Fix dome	800 x 600		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW355	Fix dome	1280 x 960		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW395	Speed dome	1280 x 960		X	X	PTZ	X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW396	Speed dome	1280 x 960		X	X	PTZ	X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW558	Fix dome	1920 x 1080		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	WV-SW559	Fix dome	1920 x 1080		X	X		X	Yes	X		881.407	881.407	Yes
Panasonic	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Pelco	Following ONVIF-conformant products has be tested. Other ONVIFconformant products with firmware 1.8.2 should work as well. IXS0, IX10, IXE10, IXE20, IX30, IMS0, IM10, IDS0, ID10, IDE10, IDE20, ID30, IES0, IE10, IEE10, IEE20, IE30, IL10, ES40E, ES41E, Spectra HD, Spectra IV H.264, fixed Thermal IP, pan/tilt Thermal IP, Explosion proof IP.			D5118 IX30C			X		NO	ONVIF		881.424	881.424	Yes
Pelco	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.424	881.424	No
RIVA	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer. FW 1.4.0			RC1202HD RC3502HD					X	ONVIF		910.110	910.110	Yes
RIVA	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	910.110	910.110	No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
RTSP-Universal	<p>RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. RTSP is a streaming protocol taking care of stream control. It does not handle device configuration. No PTZ or Motion Detection possible. Audio G.711 and G.726 supported</p>				NO	NO	NO	NO	Yes	RTSP- IPC	Only G.711 and G.726	881.360	881.360	No

Samsung	SNB-1000	Box	640 x 480	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNB-2000	Box	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNB-3000	Box	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNB-5000	Box	1280 x 1024	22 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-550	Box	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-570	Box	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-1300	Box	1280 x 960	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-B2315	Box	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-B2331	Box	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-B2335	Box	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-B5368	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-B5395	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-B5399	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNC-C6225	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNC-C7225	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNC-C7478	Speed dome	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNC-M300	Box	2048 x 1536	12 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SND-460V	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SND-560	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SND-1010	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Samsung	SND-3080	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SND-5080	Fix dome	1280 x 1024	22 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNP-1000	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-3120	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-3300	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-3350	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-3370	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-3371	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-3430H	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-3750	PTZ	VGA/D1	30 pictures/s		X	X	X	X	X		881.360	881.360	Yes
Samsung	SNP-6200	PTZ	1920 x 1080	30 pictures/s		X	X	X	X	X		910.110	910.110	Yes
Samsung	SNS-100	Video Encoder	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNS-400	Video Encoder	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNV-3080	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNV-3120	Fix dome	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNV-5010	Fix dome	1280 x 1024	22 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SNV-5080	Fix dome	1280 x 1024	22 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	SPE-100	Video Encoder	VGA/D1	30 pictures/s		X		X	X	X		881.360	881.360	Yes
Samsung	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.			SNP-6200			X		X	ONVIF		910.110	910.110	Yes
Samsung	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No

Sanyo	VCC-9500P incl. VCC-MC500P + VA-80LAN / VA- 82LAN	Speed dome	VGA/D1				X		NO	X		600.11		No
Sanyo	VCC-9600P incl. VCC-MC600P + VA-80LAN / VA- 82LAN	Speed dome	VGA/D1				X		NO	X		600.11		No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP-Camera failover via GeViSoft
Sanyo	VCC-9700P incl. VCC-MC700P + VA-80LAN / VA-82LAN	Speed dome	VGA/D1				X		NO	X		600.11		No
Sanyo	VCC-9800P incl. VCC-MC800P + VA-80LAN / VA-82LAN	Speed dome	VGA/D1				X		NO	X		600.11		No
Sanyo	VCC-XZN600P	Box	VGA/D1						NO	X		600.11		No
Sanyo	VCC-ZMN600P	Box	VGA/D1						NO	X		600.11		No
Sanyo	VCC-HD2100P	Box	2288 x 1712						NO	X		790.99		No
Sanyo	VCC-HD2300P	Box	2288 x 1712						NO	X		790.99		No
Sanyo	VCC-HD2500P	Box	2288 x 1712						NO	X	X	790.99		No
Sanyo	VCC-HD3100P	Fix dome	2288 x 1712						NO	X		790.99		No
Sanyo	VCC-HD3300P	Fix dome	2288 x 1712						NO	X		790.99		No
Sanyo	VCC-HD3500P	Fix dome	2288 x 1712						NO	X	X	790.99		No
Sanyo	VCC-HD4000P	Box	2288 x 1712						NO	X		790.74		No
Sanyo	VCC-HD4600P	Boxcompact	2288 x 1712				Zoom supported		NO	X	X	790.99		No
Sanyo	VCC-HD5400P	Speed dome	1920x1080, 1600x1200				X		NO	X	X	790.99		No
Sanyo	VCC-HD5600P	Speed dome	1920x1080, 1600x1200				X		NO	X	X	790.99		No
Sanyo	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP-IPC	-	881.360	881.360	No

Sony	SNC-CH110	Cube	1280 x 1024		X	X		X	880.204	X		880.204	880.204	No
Sony	SNC-CH120	Box	1280 x 1024		X	X		X	880.204	X		790.74	880.204	No
Sony	SNC-CH140	Box	1280 x 1024		X	X		X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-CH160	Bullet	1280 x 1024		X	X		X	880.204	X		880.204	880.204	No
Sony	SNC-CH180	Bullet	1280 x 1024		X	X		X	880.204	X	880.261	880.204	880.204	No
Sony	SNC-CH210	Cube	1920 x 1440		X	X		X	880.204	X		790.74	880.204	No
Sony	SNC-CH220	Box	1920 x 1440		X	X		X	880.204	X		790.74	880.204	No
Sony	SNC-CH240	Box	1920 x 1440		X	X		X	880.204	X	880.261	880.204	880.204	No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Sony	SNC-CH260	Bullet	1920 x 1440		X	X		X	880.204	X		790.74	880.204	No
Sony	SNC-CH280	Bullet	1920 x 1440		X	X		X	880.204	X	880.261	880.204	880.204	No
Sony	SNC-CM120	Box	1280 x 960		X	X		X	880.204	X	880.261	600.29	880.204	No
Sony	SNC-CS10	Box	640 x 480		X	X			NO			600.29		No
Sony	SNC-CS11	Box	640 x 480		X	X			NO			600.11		No
Sony	SNC-CS20	Box	768 x 576		X	X		X	NO		880.261	600.29		No
Sony	SNC-CS50	Box	640 x 480		X	X		X	NO		880.261	600.29	880.204	No
Sony	SNC-DF40	Fix dome	640 x 480		X	X			NO			600.11		No
Sony	SNC-DF50	Fix dome	640 x 480		X	X		X	NO		880.261	600.11	880.204	No
Sony	SNC-DF70	Fix dome	640 x 480		X	X			NO			600.29		No
Sony	SNC-DF80	Fix dome	640 x 480		X	X		X	NO		880.261	600.29	880.204	No
Sony	SNC-DF85	Fix dome	640 x 480		X	X		X	NO		880.261	600.29	880.204	No
Sony	SNC-DH110/T	Fix dome	1280 x 1024		X	X		X	880.204	X		880.204	880.204	No
Sony	SNC-DH120/T	Fix dome	1280 x 1024		X	X		X	880.204	X		790.74	880.204	No
Sony	SNC-DH140/T	Fix dome	1280 x 1024		X	X		X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-DH160	Fix dome	1280 x 1024		X	X		X	880.204	X		880.204	880.204	No
Sony	SNC-DH180	Fix dome	1280 x 1024		X	X		X	880.204	X	880.261	880.204	880.204	No
Sony	SNC-DH210/T	Fix dome	1920 x 1440		X	X		X	880.204	X		880.204	880.204	No
Sony	SNC-DH220/T	Fix dome	1920 x 1440		X	X		X	880.204	X		880.204	880.204	No
Sony	SNC-DH240/T	Fix dome	1920 x 1440		X	X		X	880.204	X	880.261	880.204	880.204	No
Sony	SNC-DH260/T	Fix dome	1920 x 1440		X	X		X	880.204	X		880.204	880.204	No
Sony	SNC-DH280/T	Fix dome	1920 x 1440		X	X		X	880.204	X	880.261	880.204	880.204	No
Sony	SNC-DM110	Fix dome	1280 x 960		X	X		X	NO	X	880.261	600.25		No
Sony	SNC-DM160	Fix dome	1280 x 960		X	X		X	NO	X	880.261	600.25		No
Sony	SNC-DS10	Fix dome	768 x 576		X	X		X	NO		880.261	600.29		No
Sony	SNC-DS60	Fix dome	768 x 576		X	X		X	NO		880.261	600.29		No
Sony	SNC-EB520	Box	800 x 600		X	X		X	881.424	X	881.424	881.424	881.424	No
Sony	SNC-EM520	Fix dome	800 x 600		X	X		X	881.424	X	881.424	881.424	881.424	No
Sony	SNC-EM521	Fix dome	800 x 600		X	X		X	881.424	X	881.424	881.424	881.424	No
Sony	SNC-EX101	Video Encoder	720 x 576		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-EX104	Video Encoder	720 x 576		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-EX154	Video Encoder	720 x 576		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-EP104	Video Encoder	720 x 576		X	X	X	X	880.204	X		790.74	880.204	No
Sony	SNC-EP154	Video Encoder	720 x 576		X	X	X	X	880.204	X		790.74	880.204	No
Sony	SNC-ER520	PTZ	720 x 480		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-ER521	PTZ	720 x 576		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-ER550	PTZ	1280 x 720		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-ER580	PTZ	1920 x 1080		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-ER585	PTZ	1920 x 1080		X	X	X	X	920.20	X	920.20	920.20	920.20	No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Sony	SNC-ER585H	PTZ	1920 x 1080		X	X	X	X	920.20	X	920.20	920.20	920.20	No
Sony	SNC-EP520	Speed dome	720 x 480		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-EP521	Speed dome	720 x 576		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-EP550	Speed dome	1280 x 720		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-EP580	Speed dome	1920 x 1080		X	X	X	X	881.360	X	881.360	881.360	881.360	No
Sony	SNC-P1	Cube	640 x 480		X	X			NO			600.29		No
Sony	SNC-P5	Cube	640 x 480		X	X			NO			600.29		No
Sony	SNC-RH124	Speed dome	1280 x 720		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-RH164	Speed dome	1280 x 720		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-RS44	Speed dome	720 x 576		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-RS46	Speed dome	720 x 576		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-RS84	Speed dome	720 x 576		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-RS86	Speed dome	720 x 576		X	X	X	X	880.204	X	880.261	790.74	880.204	No
Sony	SNC-RX530	Speed dome	640 x 480		X	X	X	X	NO	X	880.261	600.25	880.204	No
Sony	SNC-RX550	Speed dome	640 x 480		X	X	X	X	NO	X	880.261	600.25	880.204	No
Sony	SNC-RX570	Speed dome	640 x 480		X	X	X	X	NO	X	880.261	600.25	880.204	No
Sony	SNC-RZ25	Speed dome	640 x 480		X	X	X		NO			600.29		No
Sony	SNC-RZ50	Speed dome	640 x 480		X	X	X	X	NO			600.11		No
Sony	SNC-VB600	Box	1280 x 720	60 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VB600B	Box	1280 x 720	30 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VB630	Box	1920 x 1080	60 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VM600	Fix dome	1280 x 720	60 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VM600B	Fix dome	1280 x 720	30 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VM601	Fix dome	1280 x 720	60 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VM601B	Fix dome	1280 x 720	30 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VM630	Fix dome	1920 x 1080	60 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-VM631	Fix dome	1920 x 1080	60 pictures/s	X	X		X	930.xx	X	930.43	930.43	930.43	No
Sony	SNC-ZB550	Box	1280 x 720		X	X	X	X	910.xx	X	930.43	930.43	930.43	No
Sony	SNC-ZM550	Fix dome	1280 x 720		X	X	X	X	910.xx	X	930.43	930.43	930.43	No
Sony	SNC-ZM551	Fix dome	1280 x 720		X	X	X	X	910.xx	X	930.43	930.43	930.43	No
Sony	SNC-ZP550	PTZ	1280 x 720		X	X	X	X	910.xx	X	930.43	930.43	930.43	No
Sony	SNC-ZR550	Speed dome	1280 x 720		X	X	X	X	910.xx	X	930.43	930.43	930.43	No
Sony	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No

Hersteller Brand	Typ Type	Kategorie Category	Max. Auflösung Max. Resolution	Max. Bildrate Max. Framerate	Dig. Eingänge Digital Inputs	Dig. Ausgänge Digital Outputs	SNZ PTZ	Motion Detection	Dual Streaming	Via Plugin	Audio Support	M-JPEG Support Avail. from (Build)	H.264 Support Avail. from Build	Support IP- Camera failover via GeViSoft
Siquira	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No
TopLine	TopBC-1113	Box	1280 x 720	30 pictures/s	X	X		X	880.282	X		880.282	880.282	Yes
TopLine	TopBC-1118	Box	1920 x 1080	30 pictures/s	X	X		X	880.282	X		880.282	880.282	Yes
TopLine	TopBC-1123	Box	2560 x 1920	9 pictures/s	X	X		X	881.360			881.360	881.360	Yes
TopLine	TopBC-1183	Box	1280 x 960	30 pictures/s	X	X		X	880.282	X		880.282	880.282	Yes
TopLine	TopBC-1188	Box	1600 x 1200	12 pictures/s	X	X		X	880.282	X		880.282	880.282	Yes
TopLine	TopBC-2113	Box	1280 x 720	30 pictures/s	X	X		X	880.282	X		880.282	880.282	Yes
TopLine	TopBC-2118	Box	1920 x 1080	30 pictures/s	X	X		X	881.360	X		881.360	881.360	Yes
TopLine	TopBC-2123	Box	2560 x 1920	9 pictures/s	X	X		X	881.360	X		881.360	881.360	Yes
TopLine	TopBC-2183	Box	1280 x 960	30 pictures/s	X	X		X	880.282	X		880.282	880.282	Yes
TopLine	TopBC-2188	Box	1600 x 1200	12 pictures/s	X	X		X	880.282	X		880.282	880.282	Yes
TopLine	TopFD-2125	Fix dome	1920 x 1080/1440	20 or 30 pictures/s	X	X		X	881.360	X	X	881.360	881.360	Yes
TopLine	TopFD-2228	Fix dome	1920 x 1080/1440	20 or 30 pictures/s	X	X		X	881.360	X	X	881.360	881.360	Yes
TopLine	TopFD-2283	Fix dome	1280 x 960	30 pictures/s	X	X		X	880.282	X	X	880.282	880.282	Yes
Truen	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.			TCAM-5x20 TCAM-540			X		X	ONVIF		881.360	881.360	Yes
Truen	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No
VIVOTEK	Following ONVIF-conformant products has be tested: Other ONVIF-conformant products might work, but are not released in combination with GscServer.			All of VIVOTEKs 8000 series cameras/video servers supporting ONVIF			X		X	ONVIF		881.360	881.360	Yes
VIVOTEK	RTSP-Universal-Plugin is the easiest way to integrate an IP-Camera. This Plugin supports only streaming. All settings will be take from camera. No PTZ.				-	-	-	-	X	RTSP- IPC	-	881.360	881.360	No